

<b>Analog Way products</b>	Eikos 4K, Pulse 4K, QuickMatrix 4K, QuickVu 4K
<b>Crestron products</b>	3-series or 4-series processors
<b>Date</b>	November 11th, 2021
<b>Version</b>	1.2.0

*The version (s) indicated here above has (have) been tested and validated by the QA Department.*

---

## Technical Notes:

---

### Changes

- Added support for the Web RCS authentication password.

### Requirements

- Any Analog Way Midra™ 4K live presentation switcher (Eikos 4K, Pulse 4K, QuickMatrix 4K, QuickVu 4K)  
or  
Midra™ 4K Simulator
- A 3-series or 4-series Crestron processor with Ethernet connection
- Any Crestron XPanel compliant display

### Recommended software versions

- Midra™ 4K firmware 1.2.7 or above
- Midra™ 4K Simulator 1.0.7 or above
- SIMPL Windows 4.14.31 or above
- VTPro-e 6.2.02.08 or above
- Smart Graphics™ 2.17.01.01 or above
- Device database 200.50.001.00 or above
- Crestron database 203.05.001.00 or above
- Simlp+ cross compiler 1.3 or above

# PREVIOUS VERSIONS

<b>Analog Way products</b>	Eikos 4K, Pulse 4K, QuickMatrix 4K, QuickVu 4K
<b>Crestron products</b>	3-series or 4-series processors
<b>Date</b>	June 30, 2021
<b>Version</b>	1.1.0

The version (s) indicated here above has (have) been tested and validated by the QA Department.

---

## Technical Notes:

---

### Changes

- Added support for preset and master preset offset. User and master memory banks modules can start at a given value.
- Fixed a bug over "TAKE" feedback that did not changed in some cases.

### Requirements

- Any Analog Way Midra™ 4K live presentation switcher (Eikos 4K, Pulse 4K, QuickMatrix 4K, QuickVu 4K)  
or  
Midra™ 4K Simulator
- A 3-series or 4-series Crestron processor with Ethernet connection
- Any Crestron XPanel compliant display

### Recommended software versions

- Midra™ 4K firmware 1.2.7 or above
- Midra™ 4K Simulator 1.0.7 or above
- SIMPL Windows 4.14.31 or above
- VTPro-e 6.2.02.08 or above
- Smart Graphics™ 2.17.01.01 or above
- Device database 200.50.001.00 or above
- Crestron database 203.05.001.00 or above
- Simlp+ cross compiler 1.3 or above

<b>Analog Way products</b>	Eikos 4K, Pulse 4K, QuickMatrix 4K, QuickVu 4K
<b>Crestron products</b>	3-series or 4-series processors
<b>Date</b>	February 12, 2021
<b>Version</b>	1.00

The version (s) indicated here above has (have) been tested and validated by the QA Department.

---

## Technical Notes:

---

### Initial published release

- Visualize screens with layers size and position (PRG or PRW)
- Visualize auxiliary output and select the source to display
- Use the touchscreen to resize or adjust layer position
- Visualize live sources with their dynamic thumbnail
- 2 modes for source selection: Drag & Drop or Select & Click
- Recall screen/aux memories or master memories and start transitions (Take)
- Change screen background
- Configure multiviewer mosaic
- Route de-embedded audio channels or Dante input audio channels to your video outputs or Dante output audio channels
- The Video Compositing Smart Graphics™ module can be customized to match the look and feel of your application
- The Video Compositing Smart Graphics™ module can be configured to match your exact screens configuration (canvas size, layers, ...)

### Requirements

- Any Analog Way Midra™ 4K live presentation switcher (Eikos 4K, Pulse 4K, QuickMatrix 4K, QuickVu 4K)  
or  
Midra™ 4K Simulator
- A 3-series or 4-series Crestron processor with Ethernet connection
- Any Crestron XPanel compliant display

### Recommended software versions

- Midra™ 4K firmware 1.2.7 or above
- Midra™ 4K Simulator 1.0.7 or above
- SIMPL Windows 4.14.31 or above
- VTPro-e 6.2.02.08 or above
- Smart Graphics™ 2.17.01.01 or above
- Device database 200.50.001.00 or above
- Crestron database 203.05.001.00 or above
- Simlp+ cross compiler 1.3 or above